DyMac GLOBAL

The AceCube Compact tank range is a transportable cube style tank.



Available Models

- ✓ ACC-450L (Transportable)
- ✓ ACC-900L (Transportable)
- ✓ ACC-1000L (Transportable)
- ✓ ACC-2000L (Transportable)
- ✓ ACC-3000L (Transportable)

acecube compact

Overview

acecube compact

Enhanced Design Features

Transportable & Portable

The AceCube Compact bunded fuel storage tank range is a transportable cube style tank and can be transported and lifted while full of fuel.

Maintenance

This intelligent double wall tank design provides extra protection and remains a competitive choice insuring users of maximum return on investment, it insures minimal amount of downtime and thus increases over long term ROI.

Dispensing & Accessibility

The AceCube Compact Tank comes equipped with a spacious equipment compartment that allows for the secure storage of electric pumps.

Unique Design Standard

The AceCube Compact Tank comes complete with a primary galvanized hatch lid and four galvanized stacking corners. The innovative design allows the primary hatch lid to open up to conveniently positioned fitting ports. It also comes complete with the distinctive AceCube bidirectional Forklift pocket design.

Durability

The Cube-style tank design allows for 360-degree tank viewing and inspection. A high-grade paint finish ensures longer durability when exposed to the elements.





Design Innovation

Take a look inside

The AceCube Compact tank range has been designed with Bi-directional forklift pockets for ease of manouveravblity on site. It comes with four stacking corners which also act as lifting devices.

There are conveniently positioned ports & fittings with a recessed equipment compartment area for the upfitting of various 12V Diesel electrical pumps. The tank range is ideal for quick connection to Generators and Pump sets.



Standard Features



Uniquely designed equipment compartment area to accommodate the fitting of various sized dispensing pumps.



Intergrated bi-directional forklift pocket base frame. Designed for ease of lifting and handling.



Space efficient design, easily stacks 3 high when empty and 2 high when full.

acecube compact

Model (ACC-450L/119G)



The AceCube Compact model ACC-450L is designed for the safe and secure transporting and storage of various industrial lubricants and hazardous liquids worldwide.


Specifications	Metric	US	Imperial
Capacity	450 Litres	119 Gallons	99 Gallons
Length	1150 mm	3ft 9"	3ft 9"
Width	1100 mm	3ft 7"	3ft 7"
Height	864 mm	2ft 10"	2ft 10"
Outer Tank Thickness	2 mm	14 Gauge	14 Gauge
Inner Tank Thickness	2 mm	14 Gauge	14 Gauge
Weight, Tare	306 kg	674 lbs	674 lbs
Weight, Laden	669 kg	1474 lbs	1474 lbs
Safe Fuel Fill Level	428 Litres	113 Gallons	94 Gallons

Approvals and Certifications


UK & Europe

- ✓ CE Marked
- ✓ UN 31 A/Y Compliant Design
- ✓ Lifting when Full
- ✓ Vibration Tested


The information listed in this document is for illustration purposes only and may be subject to change without notice. Users are responsible for verifying its suitability for their needs.




SECTION A–A




PLAN VIEW




ISOMETRIC VIEW 2



FRONT ELEVATION



SIDE ELEVATION



ISOMETRIC VIEW 1

