DyMac GLOBAL

The Fuelpod Versatile range has been designed for multi purpose applications.



Available Sizes

- ✓ FPV-5200L
- ✓ FPV-8500L
- ✓ FPV-10500L
- ✓ FPV-14000L
- ✓ FPV-20000L

FuelPod
versatile

FuelPod
versatile

Enhanced Design Features

Maintenance & Environment

The FuelPod is comprised of an innovative double wall tank design which comes with a removable flow forge spill tray floor. It is constructed with a raised pedestrian door to allow for seepage control and employs a man-way cover conveniently located on the rooftop to provide easy access for cleaning, maintenance and inspections.

Safety & Security

The FuelPod Versatile Bunded Tank has a walk in pedestrian door with a secure 3 point locking system, ensuring it is static and safe during fuelling.

Dispensing & Accessibility

The FuelPod Bunded Tank Range has an easily accessible camlock fill pipe connection point conveniently located just inside the pedestrian door. The Range also has an ingenious bracket system that houses 4m to 6m standard hose reels and dispensing nozzles with either analog or digital gauges. An optional 8m to 15m retractable hose is also available.

Finally the FuelPod Bunded Tanks can be conveniently adapted with a fuel management system.



Design Innovation

Take a look inside

The innovative Fuelpod versatile range of fuel storage tanks comprises a double wall tank in tank design and has an extra large equipment compartment area located behind a walk in pedestrian access door with 3 point locking system for extra security.

The range has been designed with an Internal over fill protection valve and comes complete with four ISO lifting eyes providing convenient maneuverability and is finished off with a sturdy integrated frame design, allowing it to be the tank of choice for discerning rental companies' worldwide.



Superior Features



4 x lifting hooks for easy lifting.
Easy access to the inner tank and is equipped with External ports and fittings.



Internal ladder for ease of access for routine maintenance. Submersible shut off valve.



Flow forge floor for spillage and leak protection.
Multiple ports and fitting options.

Optional Accessories



Fitted with a Piusi fuel management system, Donaldson inline partial filter, and 12M retractable hose reel.



Fitted with a Panther 56 Piusi pump kit, which includes a 4M hose and dispensing nozzle.



3 point lockable door, complete with a 3" fill pipe and Comlock fitting as standard.

FuelPod
versatile

Model (FPV-5200L/1374G)



The Fuelpod Versatile FPV-5200L/1374G is a 110% Bunded Tank has been designed with safety in mind.

It safely secures the storage of bulk fuels and is designed for static application.

Specifications

Specifications	Metric	US	Imperial
Capacity	5100 Litres	1347 Gallons	1122 Gallons
Length	2950 mm	9ft 8"	9ft 8"
Width	1140 mm	3ft 8"	3ft 8"
Height	2498 mm	8ft 2"	8ft 2"
Outer Tank Thickness	4 mm	8 Gauge	8 Gauge
Inner Tank Thickness	3 mm	11 Gauge	11 Gauge
Weight, Tare	1911 kg	4213 lbs	4213 lbs
Weight, Laden	5966 kg	131528 lbs	131528 lbs
Safe Fuel Fill Level	4715 Litres	1246 Gallons	1037 Gallons

Approvals and Certifications


UK & Europe

- ✓ Lifting when Empty
- ✓ BS799
- ✓ CE Marked


USA & Canada

- ✓ UL 142 Compliant Design
- ✓ ULCS601-14
- ✓ Lifting when Empty
- ✓ PPG2 & PPG26
- ✓ ULC S601 Compliant Design


The information listed in this document is for illustration purposes only and may be subject to change without notice. Users are responsible for verifying its suitability for their needs.




FRONT VIEW



SIDE ELEVATION



REAR VIEW



TOP VIEW



DISPENSING NOZZLE VARIATIONS



HOSES WITH ISO QUICK RELEASE COUPLERS



UP TO 15M/50FT RETRACTABLE HOSE REELS



(FMS) FUEL MANAGEMENT SYSTEM



ENGINE DRIVEN OR ELECTRIC PUMPS



IN LINE PARTIAL SEPARATION FILTERS

